



OIL DRAIN PLUGS & GASKETS AND PIPE PLUGS

Includes entire Auveco line and new Marli items

NUMERIC INDEX

Auveco No.	Page No.	Auveco No.	Page No.	Auveco No.	Page No.	Auveco No.	Page No.	Auveco No.	Page No.	Auveco No.	Page No.
8277	11	18374	18	21354	22	24252	29	24311	11	24371	7
8278	11	18375	21	21647	7	24253	29	24312	11	24372	7
8279	11	18665	5	21648	7	24254	29	24313	9	24373	7
8281	11	18726	7	21649	9	24255	30	24314	9	24374	7
8285	28	18829	7	21650	20	24256	30	24315	9	24375	7
8286	28	18830	7	21665	15	24257	25	24316	9	24376	7
8288	28	18849	13	21677	12	24258	20	24317	9	24377	12
8289	28	18931	3	21798	20	24259	21	24318	9	MA100	35
9278	29	18932	3	22134	13	24260	26	24319	9	MA101	35
9279	29	19007	12	22143	16	24261	24	24320	9	MA102	36
9282	29	19130	14	22169	13	24262	24	24321	9		
9283	29	19139	12	22196	21	24263	20	24322	9		
9284	29	19141	21	22205	21	24264	24	24323	9		
9285	29	19279	22	22223	12	24265	19	24324	9		
11782	27	19318	16	22344	25	24266	16	24325	9		
11783	27	19365	27	24207	29	24267	16	24326	9		
14196	14	19538	7	24208	30	24268	15	24327	9		
14677	19	19539	7	24209	29	24269	23	24328	9		
14678	22	19545	12	24210	29	24270	32	24329	9		
15527	17	19587	28	24211	30	24271	19	24330	9		
15528	23	19588	17	24212	29	24272	32	24331	10		
15529	23	19589	17	24213	30	24273	32	24332	10		
15530	24	19590	9	24214	29	24274	32	24333	10		
15918	10	19591	10	24215	34	24275	32	24334	10		
15919	10	19592	10	24216	30	24276	32	24335	10		
16026	3	19593	10	24217	30	24277	32	24336	10		
16308	20	19601	9	24218	23	24278	31	24337	10		
16680	11	19603	7	24219	23	24279	31	24338	10		
16681	11	19604	10	24220	24	24280	31	24339	10		
16682	7	19605	10	24221	25	24281	31	24340	10		
16683	11	19618	28	24222	26	24282	31	24341	10		
16684	11	19619	28	24223	34	24283	31	24342	5		
16685	11	19620	28	24224	34	24284	31	24343	3		
16955	9	19621	9	24225	34	24285	31	24344	3		
16956	9	19630	5	24226	34	24286	31	24345	3		
16996	11	19773	22	24227	34	24287	33	24346	5		
17145	27	20347	18	24228	14	24288	33	24347	13		
17146	27	20426	20	24229	14	24289	33	24348	5		
17147	27	20453	5	24230	19	24290	33	24349	5		
17148	27	20454	10	24231	20	24291	33	24350	5		
17261	12	20462	9	24232	34	24292	16	24351	5		
17262	12	20746	22	24233	14	24293	16	24352	5		
17263	12	20759	28	24234	17	24294	16	24354	5		
17264	12	20807	17	24235	23	24295	16	24355	5		
17265	12	20896	5	24236	24	24296	12	24356	5		
18019	7	21041	25	24237	19	24298	12	24357	5		
18020	7	21047	18	24239	15	24299	12	24358	5		
18021	10	21093	18	24240	15	24300	12	24359	5		
18022	15	21116	12	24241	18	24301	12	24360	5		
18023	17	21135	21	24242	18	24302	12	24361	5		
18024	19	21178	9	24243	27	24303	12	24362	5		
18025	21	21179	5	24244	27	24304	12	24364	7		
18026	22	21180	5	24245	27	24305	12	24365	7		
18027	25	21258	12	24246	27	24306	11	24366	7		
18121	28	21293	17	24248	17	24307	11	24367	7		
18122	28	21326	23	24249	30	24308	11	24368	7		
18299	3	21352	20	24250	29	24309	11	24369	7		
18373	15	21353	19	24251	29	24310	11	24370	7		

**PAGE LEFT
BLANK INTENTIONALLY**

OIL DRAIN PLUG GASKETS

Steel with Rubber Seal Oil Drain Plug Gaskets



16026



24343



24344



18299



18931



18932



24345


Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Unit Pkg.
16026	1/2" x 1"	.461"	.969"	.092"	5
24343	M12 x M24.5	11.8mm	24.5mm	1.8mm	10
24344	M13 x M25	13mm	25mm	1.9mm	10
18299	M14 x M25	14mm	24.4mm	1mm	10
18931	M16 x M24	15.8mm	24mm	2mm	10
18932	M18 x M27	18mm	27.1mm	2mm	10
24345	M21 x M35	21.4mm	35.2mm	2.1mm	10

OIL DRAIN PLUG GASKETS

Ruber Oil Drain Plug Gaskets



Photos not actual size



OIL DRAIN PLUG GASKETS

Rubber Oil Drain Plug Gaskets

Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Use with Drain Plug	Application	Unit Pkg.
24360	M8 x M11	7.7mm	11.1mm	1.66mm			10
21180	M11 x M18	10.5mm	18.7mm	2.58mm	20347	Ford 1993-On	10
21179	M11 x M19	10.5mm	19.5mm	2.78mm	21047	GM 1985-On	10
18665	M11 x M21	10.8mm	20.4mm	2.8mm	18663, 18664 20372 & 24241	GM	10
19630	M11 x M25	10.4mm	25.9mm	2.8mm	18023	GM	10
24362	M12 x M18	12mm	18mm	3mm	22143		10
24351	M12 x M19.5	12.4mm	19.5mm	3.5mm	24266		10
24348	M12 x M21	12mm	21mm	3.33mm	21354		10
20896	M13 x M19	12.5mm	19.3mm	2.8mm	19773		10
24342	M13 x M20	13mm	20.4mm	2.76mm	24228, 24229, 24230 & 24231		25
20453	M13 x M22	12.8mm	22.3mm	3.3mm	19279 & 21354	FSTZ-6734-BA	10
24359	M15 x M22.5	15.2mm	22.5mm	3.8mm	24267		10
24361	M16 x M21	15.8mm	21mm	2.6mm			10
24352	M16 x M22.5	15.8mm	22.5mm	3.7mm	21665		10
24346	M18 x M22	18mm	22mm	1.96mm	24258		10
24350	M19 x M23	19mm	23mm	1.5mm			10
24363	M19 x M24	19mm	24mm	2.75mm	24295		10
24354	M19 x M25	19.2mm	25.2mm	3mm	22344		10
24358	M62 x M67	62mm	67mm	2.5mm			10
24356	M70 x M75	70mm	75mm	2.7mm			10
24355	M75 x M82	75mm	82mm	3.5mm			10
24349	M83 x M95	83mm	95mm	4.8mm			10
24357	M100 x M105	100mm	105mm	2.6mm			10

OIL DRAIN PLUG GASKETS

Fibre Oil Drain Plug Gaskets



18019



19538



19539



24375




24376



18726




24367




24366



24365




16682



24364



24370



19603



24372



18829



24368




24371



24369



18830



21647



24373



21648



18020



24374

OIL DRAIN PLUG GASKETS

Fibre Oil Drain Plug Gaskets

Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Color	Unit Pkg.
18019	1/2" x 15/16"	.507"	.935"	.062"	Black	50
19538	1/2" x 3/4"	.5"	.75"	.078"	Black	50
19539	9/16" x 13/16"	.562"	.812"	.062"	Black	50
24375	M8 x M13	8mm	12.7mm	1.6mm	Black	25
24376	M10 x M14	9.75mm	14mm	1.6mm	Black	25
18726	M12 x M22	12mm	22mm	1.5mm	Black	50
24367	M12 x M22	12mm	22.1mm	2.26mm	Black	50
24366	M12 x M22	12mm	22.2mm	1.6mm	Green	25
24365	M13 x M24	12.86mm	23.78mm	1.6mm	Green	25
16682	M14 x M24	13.9mm	23.89mm	1.6mm	Black	50
24364	M14 x M24	14.1mm	23.65mm	1.68mm	Green	25
24370	M16 x M27	16mm	27mm	1.5mm	Black	50
19603	M16.4 x M27	16.7mm	26.8mm	2mm	Black	50
24372	M18 x M29	17.94mm	28.66mm	2.5mm	Black	25
18829	M18 x M29	18.3mm	28.48mm	1.6mm	Green	50
24368	M18 x M25	18.27mm	25.4mm	1.58mm	Red	25
24371	M18 x M28	18.3mm	28.44mm	1.5mm	Black	25
24369	M20 x M25	19.95mm	25.3mm	2.43mm	Red	25
18830	M20 x M28	20.3mm	27.7mm	1.6mm	Green	25
21647	M20 x M28	20.1mm	27.68mm	1.6mm	Black	25
24373	M22 x M27	22.2mm	27.15mm	1.5mm	Black	25
21648	M23 x M29	23mm	28.5mm	1.6mm	Black	25
18020	M25.5 x M35	25.5mm	34.9mm	1.6mm	Black	50
24374	M27 x M32	27mm	31.86mm	2mm	Black	25

OIL DRAIN PLUG GASKETS

Aluminum Oil Drain Plug Gaskets



19590



24324



24327



24329



24326



19601



24330



19621



16956



24313



24323



24322



24314



24315



24325



16955



20462



24316



24317



21178



24319



24318



21649



24320



24328



24321


OIL DRAIN PLUG GASKETS

Aluminum Oil Drain Plug Gaskets

Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Unit Pkg.
19590	1/2" x 7/8"	.500"	.870"	.050"	25
24324	M8 x M14	8.3mm	13.75mm	.84mm	50
24327	M9 x M12	8.6mm	11.66mm	.76mm	50
24329	M10 x M16	10.15mm	15.7mm	1mm	50
24326	M12 x M18	12mm	18mm	1.5mm	50
19601	M12 x M22	12mm	22mm	1.5mm	50
24330	M12 x M15.5	12.3mm	15.5mm	1.2mm	50
19621	M14 x M20	14mm	20mm	1.4mm	50
16956	M14 x M22	14mm	22mm	2mm	50
24313	M14 x M24	14mm	24mm	1.5mm	50
24323	M14 x M22	14.3mm	21.7mm	2mm	50
24322	M14 x M24	14.4mm	23.85mm	1.4mm	50
24314	M16 x M22	15.8mm	21.88mm	1.4mm	50
24315	M16 x M27	16.4mm	26.7mm	1.5mm	50
24325	M18 x M22	18mm	21.8mm	1.3mm	50
16955	M18 x M26	18.2mm	25.8mm	1.9mm	50
20462	M18 x M24	18.3mm	23.8mm	1.5mm	25
24316	M18 x M29	18mm	28.6mm	1.6mm	50
24317	M18 x M24	18.3mm	23.8mm	2mm	50
21178	M20 x M28.5	20mm	28.5mm	1.6mm	25
24319	M20 x M28	20.3mm	27.8mm	2.2mm	25
24318	M22 x M25	22mm	25.3mm	1.5mm	25
21649	M24 x M30	24mm	30mm	1.8mm	10
24320	M24 x M34	24.3mm	33.8mm	2.5mm	10
24328	M30.5 x M38	30.5mm	38mm	2mm	10
24321	M32 x M40	32mm	39.75mm	2.4mm	10

OIL DRAIN PLUG GASKETS


Copper Oil Drain Plug Gaskets



Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Unit Pkg.
24334	7/16" x 5/8"	.44"	.28"	.03"	25
24331	1/2" x 7/8"	.5"	.88"	.05"	25
15918	1/2" x 7/8"	.5"	.875"	.062"	25
15919	9/16" x 13/16"	.553"	.811"	.092"	25
18021	3/4" x 1"	.750"	1"	.062"	25
24339	M6 x M12	6.25mm	11.80mm	.85mm	15
24335	M8 x M12	8.3mm	11.7mm	.8mm	25
24341	M10 x M20	10.2mm	20.4mm	2.76mm	10
24336	M10 x M14	10.26mm	13.7mm	.9mm	25
19591	M12 x M22	12mm	22.28mm	1.5mm	15
24338	M12 x M18	12.1mm	18.1mm	1.8mm	10
24337	M13 x M27	13.4mm	26.95mm	1.4mm	10
19592	M14 x M22	13.8mm	22.16mm	1.5mm	15
20454	M14 x M20	14.4mm	19.8mm	1.3mm	15
19604	M16 x M22	15.8mm	21.9mm	1.47mm	10
19605	M18 x M26	18mm	26.11mm	1.5mm	10
19593	M20 x M26	19.8mm	26mm	1.5mm	10
24332	M22 x M25	22mm	25.4mm	1.5mm	10
24333	M22 x M32	22.2mm	31.7mm	1mm	10
24340	M26 x M32	26.14mm	31.73mm	1.76mm	10

OIL DRAIN PLUG GASKETS

Nylon Oil Drain Plug Gaskets



Auveco Part No.	Nominal Size.	I.D.	O.D.	Thickness	Unit Pkg.
8277	1/2" x 3/4"	.5"	.75"	.095"	25
24307	1/2" x 7/8"	.5"	.88"	.125"	25
16996	1/2" x 15/16"	.5"	.93"	.062"	25
8281	9/16" x 13/16"	.56"	.81"	.093"	25
8278	5/8" x 1"	.63"	1"	.092"	25
8279	3/4" x 1-1/16"	.76"	1.08"	.098"	25
16680	M12 x M22	12.3mm	22.4mm	1.6mm	50
24312	M12 x M26	12mm	26mm	1.5mm	25
24308	M12 x M21	12.1mm	21mm	2.4mm	25
16681	M14 x M24	14mm	24mm	1.6mm	50
24311	M14 x M28.5	14mm	28.5mm	1.6mm	25
24306	M14 x M25.5	14.3mm	25.5mm	3.2mm	25
16683	M16.5 x M27	16.6mm	27mm	1.6mm	50
16684	M18 x M29	18mm	29mm	1.5mm	50
24310	M18.5 x M25	18.5mm	25.4mm	1.6mm	25
16685	M20 x M26	20mm	26mm	1.6mm	50
24309	M20 x M32	20.4mm	31.8mm	1.5mm	25

OIL DRAIN PLUG GASKETS

Crushable Oil Drain Plug Gaskets



19545



24300



24303



24297



24304



17261



21258



24305



19007



17262



24296



22223



24299



21677



17263



17264



21116



24301



17265



19139



24298



24377



24302

Auveco Part No.	Nominal Size	I.D.	O.D.	Thickness	Material	Unit Pkg.
19545	1/2" x 3/4"	.512"	.736"	.089"	Copper	10
24300	M6 x M10	6.3mm	9.7mm	1.7mm	Copper	10
24303	M8 x M11	8.2mm	11.3mm	1.5mm	Copper	10
24297	M10 x M16	10.4mm	15.8mm	1.85mm	Copper	10
24304	M12 x M17	11.9mm	17mm	2.25mm	Steel	10
17261	M12 x M18	12.4mm	17.5mm	2.25mm	Copper	10
21258	M12 x M18	11.1mm	17.4mm	3.33mm	Copper	10
24305	M13 x M17	12.8mm	17.15mm	2.56mm	Steel	10
19007	M14 x M19	14.3mm	19.44mm	2.28mm	Steel	10
17262	M14 x M20	14mm	20mm	2.4mm	Copper	10
24296	M14 x M20	14mm	20mm	2.15mm	Copper	10
22223	M14 x M22	14.5mm	21.75mm	2.12mm	Copper	10
24299	M16.4 x M22	15.4mm	22mm	3.2mm	Copper	10
21677	M16 x M21	16mm	21.2mm	2.3mm	Steel	10
17263	M16 x M22	16.35mm	21.72mm	2mm	Copper	10
17264	M18 x M24	18mm	23.75mm	2mm	Copper	10
21116	M18 x M24	18.2mm	24.2mm	2.5mm	Steel	10
24301	M18 x M25	18mm	25mm	2.3mm	Steel	10
17265	M20 x M26	20.4mm	25.75mm	2.15mm	Copper	10
19139	M20 x M26	20mm	26mm	2.7mm	Steel	15
24298	M22 x M27	22.2mm	26.70mm	2.16mm	Copper	10
24377	M24 x M31	24.5mm	31.5mm	3.46	Aluminum	10
24302	M26.5 x M31	26.5mm	31.2mm	2.2mm	Copper	10

SPECIALTY GASKETS



24347

Graphite & Aluminum

Inner Diameter: 12.18mm
Outer Diameter: 20.88mm
Thickness: 1.46mm

UNIT PACKAGE: 10



18849

Graphite Coated Steel

Inner Diameter: 12mm
Outer Diameter: 21mm
Thickness: 1.8mm

UNIT PACKAGE: 5



22134

(Toyota: 90430-12031,
90430-12018, 90430-12027
& 90430-C0005)
Fibre & Aluminum

Oil & Transmission
Drain Plug Gasket
Inner Diameter: 12mm
Outer Diameter: 21mm
Thickness: 1.75mm

Toyota 4Runner, Avalon, Camry, Celica, Corolla, Echo,
FJ Cruiser, Highlander, Land Cruiser, Matrix, MR2,
Paseo, Previa, Prius, RAV4, Sequoia, Sienna, Solara,
Supra, T100, Tacoma, Tercel, Tundra, Venza & Yaris
1991 - On

UNIT PACKAGE: 5



24353

Rubber Coated Aluminum

Inner Diameter: 12.1mm
Outer Diameter: 21.4mm
Thickness: 1.64mm

UNIT PACKAGE: 10



22169

(Not Supplied by O.E.M.)

Inner Diameter: 18mm
Outer Diameter: 23mm
Replacement Gasket for
Auveco 21650
Chevrolet Cruze & Volt 2010 - On

UNIT PACKAGE: 10

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



24228

Yellow Zinc

Thread: 1/2"-20
Hex: 11/16"
Length Under Head: 3/8"
Washer Head O.D.: 15/16"

UNIT PACKAGE: 2



24229


Zinc

Thread: 1/2"-20 O.S.
Hex: 11/16"
Length Under Head: 3/8"
Washer Head O.D.: 15/16"

UNIT PACKAGE: 2

24233

Zinc



Thread: 1/2"-20
Hex: 3/4"
Length Under Head: 1/2"

UNIT PACKAGE: 5



14196

Zinc

Thread: 1/2"-20
Hex: 7/8"
Length Under Head: 1/2"

Fits the following 1/2"-20 applications:

AMC: 6 & 8 Cylinder All 64-On

Buick: 4, 6 & 8 Cylinder All [Exc. 2.5 (151), 3.0, 4.3, 4.9 (301 Eng.)] 59-On

Cadillac: 6 & 8 Cylinder All (Exc. 4.1 Eng) 66-On

Chevrolet (Includes Light Truck): 4, 6 & 8 Cylinder All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel) Eng.] 28-On

Chrysler Corp.: 6 & 8 Cylinder All 62-On


Ford Motor Co.: 4, 6 & 8 Cylinder All (Exc. 98, 122, 140, 171 Eng) 57-On

GMC (Light Truck): 6 & 8 Cylinder All 39-On

Oldsmobile: 4, 6 & 8 Cylinder All [Exc. 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301)] 61-On

Pontiac: 4, 6, & 8 Cylinder All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301)] 60-On

UNIT PACKAGE: 10



19130

(3921988)

Phosphate

Thread: 1/2"-20
Hex: 9/16"
Length Under Head: 13/16"
Washer Head O.D.: 7/8"

Fits the following applications:

Buick: 4, 6 & 8 Cylinder All [Exc. 2.5(151) 3.0, 4.3, 4.9 (301 Eng.)] 59-On

Cadillac: 6 & 8 Cylinder All (Exc. 4.1 Eng) 66-On

Chevrolet (Inc. GMC Light Truck): 4, 6 & 8 Cylinder All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel) Eng.] 28-On

Oldsmobile: 4, 6 & 8 Cylinder All [Exc. 1.8 (diesel), 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301) Eng.] 61-On

Pontiac: 4, 6 & 8 Cylinder All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301) Eng.] 60-On

UNIT PACKAGE: 15

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



18373

(6034376)

Plain with Rubber
Washer Face Gasket

Thread: 1/2"-20

Hex: 5/8"

Length Under Head: 13/16"

Rubber Gasket O.D.: 1-3/32"

Fits the following applications:

Chrysler

UNIT PACKAGE: 2

24239

Zinc



Thread: 1/2"-20

Hex: 7/8"

Length Under Head: 13/16"

Fits the following applications:

AMC, Chrysler & Cadillac

UNIT PACKAGE: 2



24268

Yellow Zinc/Rubber
Universal Winged Drain Plug

Thread: 1/2"-3/4"

Hand Tighten

Length Under Head: 2"-1/8"

Washer Head O.D.: 1"-3/8"

UNIT PACKAGE: 1

24240

Zinc



Thread: 5/8"-18

Hex: 1/2"


Length Under Head: 1/2"

Washer Head O.D.: 7/8"

Fits the following applications:

AMC, Chrysler

UNIT PACKAGE: 2



18022

(948187-0)

Zinc

Thread: 3/4"-16

Hex: 1"

Length Under Head: 1/2"

Fits the following applications:

Volvo: 4 Cylinder

UNIT PACKAGE: 2



21665

(BC3Z-6730-A)
Yellow Plastic with
Rubber Gasket

Diameter: 13/16"

Square Drive: 3/8"

Overall Length: 1-13/16"

Fits the following applications:

**Ford: F250 & F350 with 6.7L
Powerstroke 2011 - On**

UNIT PACKAGE: 1

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



22143

(VW: 06L-103-801)
Black Plastic

Oil Drain Plug w/Rubber O-Ring
Screw Driver Slot
Head Diameter: 23mm
Overall Height: 20mm
Install with tool 24292

Fits the following applications:

Audi: A3 & S3 and Volkswagen Golf & GTI 2015 - On

UNIT PACKAGE: 1



24292

Black Plastic

Installation tool for
Drain Plug 22143

UNIT PACKAGE: 1



24295

(GM: 55498782)
Black Nylon

Cam Locking
Internal Square Hex
Length Under Head: 25.5mm
Washer Head O.D.: 28mm
Install with tool 24294

Fits the following applications:

Cadillac CT6 2.0L L4 - Gas, 3.0L V6 - Gas,
3.6L V6 - Gas 2019

Cadillac XT4 2.0L L4 - Gas, 2.0L L4 - Gas 2019 - On

Cadillac XT5 2.0L L4 - Gas 2019

UNIT PACKAGE: 1



24294

Black Plastic

Installation tool for
Drain Plug 24295

UNIT PACKAGE: 1



24266

(Mercedes: 002-990- 20-17)
Black Plastic

Cam Locking
Screw Driver Slot

Length Under Head: 35mm
Washer Head O.D.: 28mm
Install with tool 24293

Fits the following applications:

Mercedes

UNIT PACKAGE: 1



24293

Black Plastic

Installation tool for
Drain Plug 24266

UNIT PACKAGE: 1



24267

(Ford: KX6Z-6730-B)
Yellow Plastic

Cam Locking Hand Drive
Length Under Head: 40mm

Fits the following applications:

Ford

UNIT PACKAGE: 1



19318

(Jeep: 8350404; Lexus: 90341-10006,
90341-10012)
Zinc & Yellow

Thread: M10-1.5
Hex: 14mm
Length Under Head: 9mm

Fits the following transmission applications:

Jeep: Cherokee, Comanche & XJ 1991-On

Lexus: GS300, LS400 & SC400 1991-On

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



20807
(F81Z-6730-AA)
Plain with Rubber
Washer Face Gasket

Thread: M10-1.5
Hex: 13mm
Length Under Head: 15mm
Rubber Gasket O.D.: 28mm

Fits the following 4R100 transmission applications:
Ford: E150-450, F150-450 Excursion &
Expedition 1980 - On

UNIT PACKAGE: 1



15527
Zinc

Thread M12-1.25
Hex: 14mm
Length Under Head: 11mm
Washer Head O.D.: 20mm

Fits the following M12-1.25 applications:
Nissan: Sentra, Stanza & Pulsar with FWD 1982-On

UNIT PACKAGE: 5



21293
Zinc & Yellow

Thread: M12-1.25
Hex: 14mm
Length Under Head: 12mm
Washer Head O.D.: 23mm

Fits the following applications:
Nissan Sentra & 350Z and Infiniti 1992 - On

UNIT PACKAGE: 2



19588
Zinc

Thread: M12-1.25
Hex: 14mm
Length Under Head: 17mm
Washer Head O.D.: 20mm

Fits the following applications:
Nissan

UNIT PACKAGE: 5



19589
Zinc

Thread M12-1.5
Hex: 13mm
Length Under Head: 12mm
Washer Head O.D.: 17mm

Fits the following applications:
BMW & Mercedes

UNIT PACKAGE: 5



24234
Zinc

Thread: M12-1.5
Hex: 17mm
Length Under Head: 12mm

Fits the following applications:
BMW, Mini Cooper & Nissan

UNIT PACKAGE: 5



24248
(BMW: 11-131-250-089)
Yellow Zinc

Thread: M12-1.5
Hex: 17.5mm
Length Under Head: 18mm

Fits the following applications:
BMW

UNIT PACKAGE: 2



18023
(21006725)
Black Zinc
With Rubber Gasket

Thread: M12-1.75
Hex: 14mm
Length Under Head: 19mm
Rubber Gasket O.D.: 31mm

Fits the following application:
GM: Saturn

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS

21093

(24233099)

Zinc with
Rubber Gasket



Thread: M12-1.75
Hex: 15mm
Length Under Head: 20mm
Washer Head O.D.: 32mm

Fits the following applications:
4L80-E Transmissions on **Chevrolet** 2 WD Full Size
Vans & Pickup Trucks 1997 - On

UNIT PACKAGE: 2

21047

(GM: 3536964, 3538469,
11519408, 11562588,
24100042

Isuzu: 8-11519-408-0)
Zinc
with Rubber Gasket



Thread: M12-1.75
Hex: 15mm
Length Under Head: 25mm
Washer Head O.D.: 26mm

Fits the following applications:

GM: 2.2 (4), 3.1 (M), 3.8 (K), 3.8 (1), 2.3, 4.9 & 6.0L
Eng. 1985 - On

UNIT PACKAGE: 2

18374

(F5AZ-6730)

Plain With Rubber
Washer Face Gasket



Thread: M12-1.75
Hex: 15mm
Length Under Head: 21mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Ford: 2.5, 3.0 & 4.6 Eng. with Modular
& Aluminum Pans

UNIT PACKAGE: 2

24241

(GMC: 3536964)
Phosphate



Thread: M12-1.75
Hex: 15mm
Length Under Head: 25mm
Washer Head O.D.: 26.38mm

Fits the following applications:
GMC

UNIT PACKAGE: 2

20347

(YS4Z-6730AA)

Plain with
Rubber Gasket



Thread: M12-1.75
Hex: 13mm
Length Under Head: 25mm
Washer Head O.D.: 26mm

Fits the following applications:
Ford 1999 - 93

UNIT PACKAGE: 2

24242

(GM: 3538469)
Phosphate



Thread: M12-1.75
Hex: 15mm
Length Under Head: 25mm
Washer Head O.D.: 30.46mm

Fits the following applications:
Cadillac

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



14677

Zinc



Thread: M12-1.75
Hex: 15mm
Length Under Head: 26mm
Washer Head O.D.: 22mm

Fits the following M12-1.75 applications:

Buick: 4 Cylinder 151 (2.5) Eng. 80-On
6 Cylinder 3.0, 4.3 (Diesel) Eng. 82-On
8 Cylinder 4.3, 4.9 Eng. 81-77

Cadillac: 8 Cylinder 4.1 Eng. 82-On

Chevrolet: 4 Cylinder 151 (2.5) Eng. 78-On
6 Cylinder 4.3 (Diesel) Eng. 82-On

Oldsmobile: 4 Cylinder 151 (2.5) Eng. 78-On
6 Cylinder 3.0, 4.3 (Diesel) Eng. 82-On
8 Cylinder 4.3S, 4.9T (301) Eng. 80-79

Pontiac: 4 Cylinder 151 (2.5) Eng. 77-On
6 Cylinder 4.3 (Diesel) Eng. 82-On
8 Cylinder 4.3S, 4.9T (301) Eng. 81-77

UNIT PACKAGE: 5



24271

(Ford: XW4Z-6730-BA)
Plain with Rubber
Washer Face Gasket

Thread: M12-1.75
Hex: 15mm
Length Under Head: 28mm
Washer Head O.D.: 27mm

Fits the following applications:
Ford

UNIT PACKAGE: 2



24265

(GM: 24100042)
Zinc



Thread: M12-1.75
Hex: 13mm
Length Under Head: 30mm
Washer Head O.D.: 26mm


Fits the following applications:
GM

UNIT PACKAGE: 2



24237

Zinc



Thread: M14-1.25
Hex: 19mm
Length Under Head: 12mm

UNIT PACKAGE: 5



18024

Zinc



Thread: M14-1.25
Hex: 13mm
Length Under Head: 16mm
Washer Head O.D.: 23mm

Fits the following applications:
Jeep

UNIT PACKAGE: 5



21353

(90009-PH1-000)
Zinc & Yellow



Thread: M14-1.5
Hex: 17mm
Length Under Head: 10mm
Washer Head O.D.: 24mm

Fits the following applications:
Acura & Honda

UNIT PACKAGE: 5



24230

Yellow Zinc



Thread: M14-1.5
Hex: 17mm
Length Under Head: 10mm
Washer Head O.D.: 24mm

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



24231

Zinc



Thread: M14-1.5 O.S.
Hex: 17mm
Length Under Head: 10mm
Washer Head O.D.: 24mm

UNIT PACKAGE: 2



24258

(GM: 90502556)
Zinc



Thread: M14-1.5
Hex: Torx T-45
Length Under Head: 10mm
Washer Head O.D.: 25mm

Fits the following applications:

GM

UNIT PACKAGE: 2



16308

Zinc



Thread: M14-1.5
Hex: 16mm
Length Under Head: 11mm
Washer Head O.D.: 25mm

Fits the following M14-1.5 applications:

Chrysler Imports: 83-On

Honda: 83-On

Isuzu: 87-On

Mazda: 72-On

Spectrum: 88-On

Sprint: 88-On

VW-Audi: 74-On

UNIT PACKAGE: 5



24263

(VW: N91167901)
Zinc



Thread: M14-1.5
Hex: Torx T-50
Length Under Head: 12mm
Washer Head O.D.: 18.85mm

Fits the following applications:

Volkswagen

UNIT PACKAGE: 5



21798

(VW: N91167901)
Zinc



Oil Drain Plug with Gasket
Thread: M14-1.5
T-50 Torx® Drive
Length Under Head: 12mm
Head O.D.: 19mm

Fits the following M14-1.5 applications:

Audi: A3, A4 Quattro, A5 Quattro, A6, A6 Quattro, All Road Quattro & Q5

VW: Beetle Turbo, CC Lux, Eos Executive, Eos Komfort, Eos Sport, GTI, Jetta GLI, Tiguan S, Tiguan SE & Tiguan SEL 2007 - On

UNIT PACKAGE: 2



21352

(N90288901)
Black Zinc



Thread: M14-1.5
Hex: 19mm
Length Under Head: 14mm

Fits the following applications:

Volkswagen

UNIT PACKAGE: 2



20426

(90009-PY3-000)
Zinc & Yellow
with Aluminum Gasket



Thread: M14-1.5
Hex: 17mm
Length Under Head: 15mm
Washer Head O.D.: 24mm

Fits the following M14-1.5 applications:

Acura & Honda: 2000 - On

UNIT PACKAGE: 5



21650

(55568037)
Zinc



Thread: M14-1.5
Hex: 10mm
Length Under Head: 16mm
Washer Head O.D.: 27mm

Fits the following applications:

Chevrolet: Cruze & Volt 2010 - On

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



18025
(E9DZ-6730-B)
Zinc

Thread: M14-1.5
Hex: 13mm
Length Under Head: 16mm
Washer Head O.D.: 23mm

Fits the following applications:
Ford: Escort

UNIT PACKAGE: 5



24259
Yellow Zinc

Thread: M14-1.5
Hex: 19mm
Length Under Head: 16mm
Washer Head O.D.: 25mm

UNIT PACKAGE: 2



22196
(Mazda: FS50-21-249
- Drain Plug,
9956-41-400 - Gasket)
Zinc

Thread: M14-1.5
Drive: 8mm Allen
Length Under Head: 16mm
Head Diameter: 22mm

Fits the following applications:
Mazda: 3, 6 & CX-5 2012 - On; RX-8 2011 - 09

UNIT PACKAGE: 2



21135
(21512-23001)
Dacromet

Thread: M14-1.5
Hex: 17mm
Length Under Head: 17mm
Washer Head O.D.: 22.5mm

Fits the following applications:
Hyundai & Kia 1995 - On

UNIT PACKAGE: 2



22205
(Honda:
90009-R70-A00)
Zinc

Thread: M14-1.5
Hex: 17mm
Length Under Head: 18mm
Washer Head O.D.: 24.5mm

Fits the following applications:
Honda: Accord 1999 - On; Civic 2014 - On

UNIT PACKAGE: 5



18375
(6503433)
Plain with Rubber
Washer Face Gasket

Thread: M14-1.5
Hex: 17mm
Length Under Head: 18mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Chrysler 1.5 & 2.0 Eng.

UNIT PACKAGE: 2



19141
(6504018)
Plain with Rubber
Washer Face Gasket

Thread: M14-1.5
Hex: 13mm
Length Under Head: 20mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Chrysler 2.0, 2.4, 2.7, 3.2, 3.5, 3.7 &
4.7 Eng. 2000 - On

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



19279
(F6TZ-6730BA)
Phosphate with
Rubber Gasket

Thread M14-1.5
Hex: 13mm
Length Under Head: 20mm
Washer Head O.D.: 28mm

Fits the following applications:

Chrysler: with 2.0(F), 2.4(B,G,8), 2.7(R,T), 3.3(G,S,3) & 3.5(G,4) Eng. 2000 - On

Ford: Aerostar, Explorer & Ranger 6 Cylinder 4 Ltr. Eng. 1996-On

UNIT PACKAGE: 2



14678
Zinc

Thread: M14-1.5
Hex: 16mm
Length Under Head: 20mm
Washer Head O.D.: 25mm

Fits the following M14-1.5 applications:

AMC: 4 Cylinder VW 121 Eng. 79-77

Chevrolet: 4 Cylinder 1.8 (Diesel) Eng. 81-On

Chrysler Corp. (Exc. Imports): 4 Cylinder All 78-On

Chrysler Corp. Imports: 4 Cylinder All 83-On
4 Cylinder K & W Engines (built after 10-81) 82

Ford Motor Co.: 4 & 6 Cylinder 98, 122, 140, 171 Eng. 73-On

Honda: 4 Cylinder Prelude 83-On

Mazda: 4 Cylinder All 72-On

Pontiac: 4 Cylinder 1.8 (Diesel) 83-On

Volkswagen: 4 Cylinder All (Water Cooled Engine) 74-On

UNIT PACKAGE: 5



19773
(F75Z-6730-BA)
Phosphate with
Rubber Gasket

Thread: M14-1.5
Hex: 16mm
Length Under Head: 20mm
Washer Head O.D.: 28mm

Fits the following applications:

Ford Vans & Trucks with 6.8L Eng. 2000-96

UNIT PACKAGE: 1



20746
(N90813201)
Zinc with Sems® Gasket

Thread: M14-1.5
Hex: 19mm
Length Under Head: 20mm
Sems® Washer O.D.: 20mm

Fits the following applications:

Audi Cabriolet & Quattro with 1.8, 1.9, 2.0, 2.7, 2.8, & 3.0 Eng.

VW Beetle, Eurovan, Golf, Jetta, Passat & Touareg with 1.8, 1.9, 2.0, 2.8, 3.2 & 4.0 Eng.

UNIT PACKAGE: 2




21354
(6507741-AA)
Zinc with
Rubber Gasket

Thread: M14-1.5
Hex: 13mm
Length Under Head: 21mm
Washer Head O.D.: 29mm

Fits the following application:

Chrysler

UNIT PACKAGE: 2



18026
(601-997-02-30)
Yellow Zinc

Thread: M14-1.5
Hex: 13mm
Length Under Head: 24mm
Washer Head O.D.: 19mm

Fits the following applications:

Mercedes: 300 Series

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



21326

(Subaru: 807016160,
803916010;
Toyota: SU003-02194)
Zinc

Thread: M16-1.5
Hex: 14mm
Length Under Head: 9mm
Washer Head O.D.: 24mm

Fits the following applications:
Subaru: Legacy & Outback 2.5L

Scion: FR-S 2.0L 2013

UNIT PACKAGE: 2



24235

Zinc

Thread: M16-1.5
Hex: 19mm
Length Under Head: 13mm
Washer Head O.D.: 26.55mm

Fits the following applications:
Mini Cooper, Dodge & Eagle

UNIT PACKAGE: 2



24269

(Subaru: 803916210)
Zinc

Thread: M16-1.5
Hex: 17mm
Length Under Head: 16mm
Washer Head O.D.: 23.65mm

Fits the following applications:
Subaru

UNIT PACKAGE: 5



15528

Zinc


Thread: M16.4-1.33 O.S.
Hex: 19mm
Length Under Head: 13mm
Washer Head O.D.: 26mm

Fits the following M16.4 O.S. applications:

Nissan: All (Exc. Sentra, Stanza & Pulsar with FWD 62-On

Renault: Fuego & Le Car 80-On

UNIT PACKAGE: 5



24219

(Toyota:
90341-18006)
Zinc

Thread: M18-1.5
Hex: 24mm
Length Under Head: 11mm

UNIT PACKAGE: 2



24218

(Toyota:
90341-18016
Zinc

Thread: M18-1.5
Hex: 10mm
Length Under Head: 12mm
Washer Head O.D.: 26mm

UNIT PACKAGE: 2



15529

Zinc

Thread: M18-1.5
Hex: 19mm
Length Under Head: 12mm
Washer Head O.D.: 29mm

Fits the following M18-1.5 applications:

Chrysler: All imports 70-On

Renault: Le Car 79-76

Toyota: All 75-On

UNIT PACKAGE: 5

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS



24262
Black

Thread: M18-1.5
Hex: 17mm
Length Under Head: 18mm
Washer Head O.D.: 23mm

Fits the following application:
Volvo

UNIT PACKAGE: 2




24261
(Dodge: 5080631AA)
Plain with Rubber
Washer Face Gasket

Thread: M18-1.5
Internal Square Hex
Length Under Head: 18mm
Washer Head O.D.: 30mm

Fits the following applications:
Dodge

UNIT PACKAGE: 2



15530
Zinc

Thread: M20-1.5
Hex: 17mm
Length Under Head: 15mm
Washer Head O.D.: 27mm

Fits the following M20-1.5 applications:
Chevrolet Truck: Luv 82-75

Honda: All exc. Prelude 73-On

Subaru: All 79-On

UNIT PACKAGE: 5



24220
(GM: 8672354)
Zinc



Thread: M20-1.5
Hex: 15mm
Length Under Head: 20mm
Washer Head O.D.: 29mm

UNIT PACKAGE: 2




24264
(Smart Fortwo: 017 990 30 01)
Zinc
Smart Plug with Mesh



Thread: M22-1.5
Hex: 24mm
Length Under Head: 11mm
(+60mm Mesh)
Washer Head O.D.: 33.35mm

UNIT PACKAGE: 1



24236
Zinc


Thread: M22-1.5
Hex: 19mm
Length Under Head: 12mm
Washer Head O.D.: 27mm

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS

24257

(Chrysler: 4778578)
Zinc



Thread: M22-1.5
Hex: 10mm
Length Under Head: 18mm
Washer Head O.D.: 33.66mm

Fits the following application:
Dodge Ram

UNIT PACKAGE: 2



24221
Zinc

Thread: M22-1.75
Hex: Square Countersunk
Length Under Head: 11mm
Washer Head O.D.: 24mm

UNIT PACKAGE: 2

21041

(028-103-059-A)
Zinc



Thread: M24-1.5
Drive: 10mm Allen
Length Under Head: 10mm
Head Diameter: 32mm

Fits the following applications:
Audi: Cabriolet, A6, A8, Avant, Quattro, RS6, S4, S6 & S8

VW: Phaeton 6.0L & V8 4.2L and Touareg 4.2L

UNIT PACKAGE: 1



22344

(BMW: 11-13-7-605-018)
Black Plastic



Plastic Oil Drain Plug
With Rubber Gasket
Thread: M24-1.5
Head Diameter: 36mm
Length Under Head: 11mm
Internal Hex Drive: 10mm

Fits the following applications:

BMW: 228i, 320i, 328i, 428i, 528i, X1 & Z4 2014 - On

UNIT PACKAGE: 1

18027

Zinc




Thread: M25-1.5
Hex: 24mm
Length Under Head: 13mm
Washer Head O.D.: 35mm

Fits the following applications:
Toyota

UNIT PACKAGE: 1

24247

Yellow Zinc



Thread: M26-1.5
Hex: 9/16"
Length Under Head: 13mm
Washer Head O.D.: 35mm


Fits the following application:
Mercedes

UNIT PACKAGE: 2

OIL & TRANSMISSION DRAIN PLUGS WITH GASKETS

24260

(VW: 59103193)
Yellow Zinc



Thread: M26-1.5
Hex: 17mm
Length Under Head: 16mm
Washer Head O.D.: 33mm


Fits the following applications:

VW

UNIT PACKAGE: 2

24222

(Honda: 90066-PC8-010)
Yellow Zinc



Thread: M32-1.5
Hex: 17mm
Length Under Head: 13mm
Washer Head O.D.: 40mm

Fits the following application:

Honda

UNIT PACKAGE: 2

OIL DRAIN PLUGS WITH GASKETS

Magnetic Oil Drain Plugs with Gaskets


Zinc Plated



19365



17145



17146



17147



17148



24238

Auveco Part No.	Thread Size	Hex	Length Under Head	Finish	Unit Pkg.
19365	1/2"-20	3/4"	43/64"	Zinc	1
17145	1/2"-20 Single Oversize	3/4"	13/16"	Zinc	2
17146	1/2"-20 Double Oversize	3/4"	13/16"	Zinc & Yellow	2
17147	1/2"-20 Triple Oversize	3/4"	13/16"	Black Zinc	2
17148	M12-1.75	13mm	19mm	Zinc	2
24238	M14-1.25	19mm	20mm	Zinc	5

Oversize "Piggy-Back" Drain Plugs with Gasket



11782

Zinc

Thread: 1/2"-20
Single Oversize

UNIT PACKAGE: 5



24245

Zinc

Thread: M12-1.25 O.S.
Hex: 19mm
Length Under Head:
13mm

UNIT PACKAGE: 5



11783

Zinc & Yellow

Thread: 1/2"-20
Double Oversize

UNIT PACKAGE: 5



24244

Yellow Zinc

Thread: M12-1.75 O.S.
Hex: 19mm
Length Under Head:
13mm

UNIT PACKAGE: 5



24246

Zinc

Thread: 1/2"-20
Hex: 3/4"
Length Under Head:
9/16"

UNIT PACKAGE: 2



24243

Zinc

Thread: M14-1.5 O.S.
Hex: 19mm
Length Under Head:
13mm

UNIT PACKAGE: 5

OIL DRAIN PLUGS WITH GASKETS

Oversize Oil Pan Drain Plugs with Fibre Gaskets Self-Tapping



19587



18121



18122



8285



8286



8288



8289



19618



20759



19619



19620

Auveco Part No.	Size	Finish	Unit Pkg.
19587	1/2"-20, Single Oversize	Zinc	5
18121	1/2"-20, Double Oversize	Zinc & Yellow	5
18122	1/2"-20, Triple Oversize	Black Zinc	5
8285	5/8"-18, Single Oversize	Zinc	5
8286	11/16"-20, Single Oversize	Zinc	5
8288	3/4"-16, Single Oversize	Zinc	5
8289	7/8"-14, Single Oversize	Zinc	5
19618	M12-1.25, Single Oversize	Zinc	5
20759	M12-1.50, Single Oversize	Zinc	5
19619	M12-1.75, Single Oversize	Zinc	5
19620	M14-1.50, Single Oversize	Zinc	5

PIPE PLUGS



Hex Head Pipe Plugs Cold Rolled Steel Plain Finish

Auveco Part No.	O.E.M. No.	Pipe Size	Unit Pkg.
9278	GM: 444613	1/8-27	25
9279	GM: 444619, GM: 444620	1/4-18	25



Socket Head Pipe Plugs Cold Rolled Steel Plain Finish

Auveco Part No.	O.E.M. No.	Pipe Size	Unit Pkg.
9282	GM: 9427882	1/8-27	25
9283	GM: 444776	1/4-18	25
9284	GM: 444782	3/8-18	25
9285	GM: 444667, GM: 444789	1/2-14	25

COUNTERSUNK, SQUARE, HEX HEAD PIPE PLUGS



24251
Zinc w/Sealant

Countersunk
Thread: 1/16"-27
Length: 1/4"

UNIT PACKAGE: 25



24252
Zinc w/Sealant

Countersunk
Thread: 1/8"-27
Length: 5/16"

UNIT PACKAGE: 25



24214
Zinc w/Sealant

Countersunk
Thread: 1/4"-18
Length: 7/16"

UNIT PACKAGE: 25



24253
Plain

Countersunk
Thread: 3/8"-18
Length: 3/8"

UNIT PACKAGE: 25



24254
Zinc w/Sealant

Countersunk
Thread: 3/8"-18
Length: 3/8"

UNIT PACKAGE: 25



24212
Plain

Square Countersunk
Thread: 3/8"-18
Length: 7/16"

UNIT PACKAGE: 25



24250
Brass

Countersunk
Thread: 3/8"-18
Length: 7/16"

UNIT PACKAGE: 10



24207
(GM: 15032997)
Aluminum w/Sealant

Hex Head
Thread: 3/8"-18
Hex: 3/4"
Length: 1/2"

UNIT PACKAGE: 10



24210
Plain

Square Countersunk
Thread: 1/2"-14
Length: 1/2"

UNIT PACKAGE: 10



24209
Plain

Square Head
Thread: 1/2"-14
Hex: 9/16"
Length: 1/2"

UNIT PACKAGE: 10

COUNTERSUNK, SQUARE, HEX HEAD PIPE PLUGS



24216
Zinc w/Sealant
Square Countersunk
Thread: 1/2"-14
Length: 9/16"

UNIT PACKAGE: 10



24217
Aluminum w/Sealant
Square Countersunk
Thread: 1/2"-14
Length: 9/16"

UNIT PACKAGE: 10



24249
Brass
Countersunk
Thread: 1/2"-14
Length: 9/16"

UNIT PACKAGE: 5



24256
Zinc w/Sealant
Countersunk
Thread: 1/2"-14
Length: 9/16"

UNIT PACKAGE: 25



24255
Countersunk
Thread: 1/2"-14
Length: 9/16"

UNIT PACKAGE: 25



24208
Zinc w/Sealant
Square Countersunk
Thread: 1/2"-14
Length: 5/8"

UNIT PACKAGE: 5



24211
Plain
Square Countersunk
Thread: 3/4"-14
Length: 9/16"

UNIT PACKAGE: 25



24213
Plain
Square Head
Thread: 3/4"-14
Hex: 5/8"
Length: 5/8"

UNIT PACKAGE: 10

METRIC PIPE PLUGS



24278

Yellow Zinc w/Sealant

Socket Head
Thread: M8-1.0
Hex: 4mm
Length: 8mm

UNIT PACKAGE: 25



24284

Yellow Zinc w/Sealant

Socket Head
Thread: M20-1.5
Hex: 10mm
Length: 10mm

UNIT PACKAGE: 10



24279

Yellow Zinc w/Sealant

Socket Head
Thread: M10-1.0
Hex: 5mm
Length: 8mm

UNIT PACKAGE: 25



24285

Yellow Zinc w/Sealant

Socket Head
Thread: M22-1.5
Hex: 10mm
Length: 10mm

UNIT PACKAGE: 10



24280

Yellow Zinc w/Sealant

Socket Head
Thread: M12-1.5
Hex: 6mm
Length: 10mm

UNIT PACKAGE: 10



24286

Yellow Zinc w/Sealant

Socket Head
Thread: M24-1.5
Hex: 12mm
Length: 12mm

UNIT PACKAGE: 10



24281

Yellow Zinc w/Sealant

Socket Head
Thread: M14-1.5
Hex: 7mm
Length: 10mm

UNIT PACKAGE: 10



24282

Yellow Zinc w/Sealant

Socket Head
Thread: M16-1.5
Hex: 8mm
Length: 10mm

UNIT PACKAGE: 10



24283

Yellow Zinc w/Sealant

Socket Head
Thread: M18-1.5
Hex: 8mm
Length: 10mm

UNIT PACKAGE: 10

BRITISH PIPE PLUGS



24270

Yellow Zinc w/Sealant

British Pipe Plug
Socket Head
Thread: 1/8"-28
Hex: 5mm
Length: 8mm

UNIT PACKAGE: 25



24272

Plain

British Pipe Plug
Socket Head
Thread: 1/4"-19
Hex: 7mm
Length: 10mm

UNIT PACKAGE: 25



24273

Yellow Zinc w/Sealant

British Pipe Plug
Socket Head
Thread: 1/4"-20
Hex: 7mm
Length: 10mm

UNIT PACKAGE: 10



24274

Yellow Zinc w/Sealant

British Pipe Plug
Socket Head
Thread: 3/8"-19
Hex: 8mm
Length: 10mm

UNIT PACKAGE: 25



24275

Yellow Zinc w/Sealant

British Pipe Plug
Socket Head
Thread: 1/2"-14
Hex: 10mm
Length: 10mm

UNIT PACKAGE: 10



24276

Yellow Zinc w/Sealant

British Pipe Plug
Socket Head
Thread: 3/4"-14
Hex: 12mm
Length: 12mm

UNIT PACKAGE: 10



24277

Yellow Zinc

British Pipe Plug
Socket Head
Thread: 1"-11
Hex: 17mm
Length: 12mm

UNIT PACKAGE: 5

JAPANESE PIPE PLUGS



24287

Yellow Zinc w/Sealant

Japanese Pipe Plug
Socket Head
Thread: 1/8"-28
Hex: 5mm
Length: 8mm

UNIT PACKAGE: 25



24290

Yellow Zinc w/Sealant

Japanese Pipe Plug
Socket Head
Thread: 1/2"-14
Hex: 10mm
Length: 15mm

UNIT PACKAGE: 10



24288

Yellow Zinc w/Sealant

Japanese Pipe Plug
Socket Head
Thread: 1/4"-19
Hex: 6mm
Length: 11mm

UNIT PACKAGE: 10



24291

Yellow Zinc w/Sealant

Japanese Pipe Plug
Socket Head
Thread: 3/4"-14
Hex: 14mm
Length: 17mm

UNIT PACKAGE: 10



24289

Yellow Zinc w/Sealant

Japanese Pipe Plug
Socket Head
Thread: 3/8"-19
Hex: 8mm
Length: 12mm

UNIT PACKAGE: 10

PAN BOLTS



24224

Zinc

Thread: 1/4"-20
Hex: 3/8"
Length Under Head: 1/2"
Washer Head O.D.: 17/32"

UNIT PACKAGE: 25



24226

Zinc

Thread: M6-1.0
Hex: 10mm
Length Under Head: 12mm
Washer Head O.D.: 14.15mm

UNIT PACKAGE: 25



24225

Zinc

Thread: 5/16"
Hex: 1/2"
Length Under Head: 5/8"
Washer Head O.D.: 21/32"

UNIT PACKAGE



24227

Zinc

Thread: M8-1.25
Hex: 13mm
Length Under Head: 14mm
Washer Head O.D.: 17mm

UNIT PACKAGE: 10



24223

(GM: 3537345)
Black Phosphate

Thread: 5/16"-24
Hex: 1/2"
Length Under Head: 7/8"
Sems® Washer O.D.: 11/16"

UNIT PACKAGE: 5



24232

Black Phosphate

Thread: M14-1.5
Hex: 16mm
Length Under Head: 11mm
Washer Head O.D.: 25mm

UNIT PACKAGE: 5

DIFFERENTIAL COVER PLUG



24215

Rubber

(Chrysler: 3723687)

Differential Cover Plug
Fits in 22mm Hole
Length Under Head: 11mm

UNIT PACKAGE: 10

ASSORTMENTS



OEM OIL DRAIN PLUGS & GASKETS

MA100

 19130 Zinc Plated Thread: 1/2" - 20 Hex: 9/16" Length Under Head: 7/8" AMC, Chrysler & GMC Replacement gasket 16996	 18373 Zinc with Rubber Gasket Thread: 1/2" - 20 Hex: 5/8" Length Under Head: 13/16" Gasket O.D.: 1-3/32" Chrysler: 6034376, 6035417	 21665 Yellow Plastic with Rubber Gasket Diameter: 13/16" Square Drive: 3/8" Overall Length: 1-13/16" Ford: BC3Z-6730-A, FT4Z-6730-A	 19589 Zinc Thread: M12-1.5 Hex: 13mm Length Under Head: 12mm BMW & Mercedes Replacement gasket 24330	 21293 Zinc & Yellow Thread: M12-1.25 Hex: 14mm Length Under Head: 12mm Lexus: 90341-12012; Nissan: 11128-01M0B; Toyota: 90341-12012 Replacement gasket 21258	 20347 Plain with Rubber Gasket Thread: M12-1.75 Hex: 13mm Length Under Head: 25mm Gasket O.D.: 28mm Ford: Y54Z-6730AA
 24265 Zinc Thread: M12-1.75 Hex: 13mm Length Under Head: 30mm GMC: 2410042	 18374 Zinc with Rubber Gasket Thread: M12-1.75 Hex: 15mm Length Under Head: 21mm Ford: F5A2-6730, Y54Z-6730-AA Replacement gasket 16965	 21047 Zinc with Rubber Gasket Thread: M12-1.75 Hex: 15mm Length Under Head: 25mm Washer Head O.D.: 25mm GM: 3038964, 3039469, 88891787, 11519408, 11562588, 24100042 Isuzu: 6-11519-408-0, 6-11562-588-0	 24271 Zinc Thread: M12-1.75 Hex: 15mm Length Under Head: 28mm Ford: XW4Z-6730-BA	 18024 Zinc Thread: M14-1.25 Hex: 13mm Length Under Head: 16mm Jeep Replacement gasket 16956	 19141 Plain with Rubber Gasket Thread: M14-1.50 Hex: 13mm Length Under Head: 20mm Gasket O.D.: 28mm Chrysler: 6504018, 6506214-AA
 19279 Phosphate with Rubber Gasket Thread: M14-1.50 Hex: 13mm Length Under Head: 20mm Gasket O.D.: 28mm Chrysler, Ford: F6TZ-6730BA	 21354 Zinc with Rubber Gasket Thread: M14-1.5 Hex: 13mm Length Under Head: 21mm Gasket O.D.: 28mm Chrysler: 6507741-AA	 18026 Zinc Thread: M14-1.5 Hex: 13mm Length Under Head: 24mm Mercedes: 601-997-02-30 Replacement gasket 20454	 19773 Phosphate with Rubber Gasket Thread: M14-1.5 Hex: 16mm Length Under Head: 20mm Gasket O.D.: 28mm Ford: E9DZ-6730-B, F75Z-6730-BA	 21353 Zinc & Yellow Thread: M14-1.5 Hex: 17mm Length Under Head: 10mm Acura & Honda: 90009-PH1-000 Replacement gasket 16956	 20426 Zinc & Yellow Thread: M14-1.5 Hex: 17mm Length Under Head: 15mm Acura & Honda: 90009-PH3-000 Replacement gasket 16956
 18375 Plain with Rubber Gasket Thread: M14-1.50 Hex: 17mm Length Under Head: 18mm Gasket O.D.: 28mm Chrysler: 6503433, 6504424	 20746 Zinc with Sensi® Gasket Thread: M14-1.5 Hex: 19mm Length Under Head: 20mm Gasket O.D.: 28mm Audi & VW: N90813201, N-908-132-02	 21326 Zinc Thread: M16-1.5 x 9mm Hex: 13mm Length Under Head: 10mm Socor, Subaru: 807016160, 803916010; Toyota: SU003-02194 Replacement gasket 21677	 15529 Zinc Plated Thread: M16-1.50 Hex: 18mm Length Under Head: 12mm Chrysler Import, Peugeot Diesel, Renault & Toyota Replacement gasket 18629	 15530 Zinc Thread: M20-1.50 Hex: 17mm Length Under Head: 15mm Honda, Subaru & Chevy LUV Truck Replacement gasket 16685	 24268 Universal Winged Plug with Gasket Flange Diameter: 35mm Screw Length: 35mm Not for Honda & VW

109 TOTAL PIECES



UNIVERSAL OIL DRAIN PLUGS & GASKETS

MA101

 19130 Zinc Plated Thread: 1/2" - 20 Hex: 9/16" Length: 7/8" AMC, Chrysler, GMC Replacement gasket 16996	 21665 Yellow Plastic with Rubber Gasket Diameter: 13/16" Square Drive: 3/8" Overall Length: 1-13/16" Ford: BC3Z-6730-A, FT4Z-6730-A	 15527 Zinc Thread: M12-1.25 Hex: 14mm Length Under Head: 11mm Nissan Replacement gasket 16680	 19589 Zinc Thread: M12-1.5 Hex: 13mm Length Under Head: 12mm BMW & Mercedes Replacement gasket 24330	 14677 Zinc Thread: M12-1.75 Hex: 15mm Length Under Head: 26mm Buick, Cadillac, Chevrolet, Oldsmobile & Pontiac GM: 10017615 Replacement gasket 16680	 18024 Zinc Thread: M14-1.25 Hex: 13mm Length Under Head: 16mm Nissan & Renault Replacement gasket 16681
 18025 Zinc Thread: M14-1.5 Hex: 13mm Length Under Head: 16mm Ford: E9DZ-6730-B, F3DZ-6730-A, F75Z-6730-BA, FT4DZ-6730-BA Replacement gasket 16662	 18026 Zinc Thread: M14-1.5 Hex: 13mm Length Under Head: 24mm Mercedes: 601-997-02-30 Replacement gasket 20454	 14678 Zinc Plated Thread: 14mm-1.50 Hex: 16mm Length Under Length: 22mm AMC, Chrysler, Ford, Mazda & Opel Replacement gasket 16681	 21353 Zinc & Yellow Thread: M14-1.5 Hex: 17mm Length Under Head: 10mm Acura & Honda: 90009-PH1-000 Replacement gasket 16956	 20426 Zinc & Yellow Thread: M14-1.5 Hex: 17mm Length Under Head: 15mm Acura & Honda: 90009-PH3-000 Replacement gasket 16956	 15528 Zinc Thread: M16-1.33 O.S. Hex: 13mm Length Under Head: 13mm Nissan & Renault Replacement gasket 16603
 15529 Zinc Plated Thread: M16-1.50 Hex: 19mm Length Under Head: 12mm Chrysler Import, Peugeot Diesel, Renault & Toyota Replacement gasket 18629	 15530 Zinc Thread: M20-1.50 Hex: 17mm Length Under Head: 15mm Honda, Subaru & Chevy LUV Truck Replacement gasket 16685	 24268 Universal Winged Plug with Gasket Flange Diameter: 35mm Screw Length: 35mm Not for Honda & VW	 18019 Fibre Inner Diameter: 1/2" Outer Diameter: 15/16" Thickness: 5/64"	 24330 Aluminum Inner Diameter: 12mm Outer Diameter: 15.5mm Thickness: 2mm	 18726 Black Fibre Inner Diameter: 12mm Outer Diameter: 22mm Thickness: 2mm
 20454 Copper Inner Diameter: 14mm Outer Diameter: 20mm Thickness: 1.5mm Mercedes: 007-903-014-106; SSAB: 75-22-709; VW & Audi: N-013-849-2	 16956 Aluminum Inner Diameter: 14mm Outer Diameter: 22mm Thickness: 2mm	 16682 Black Fibre Inner Diameter: 14mm Outer Diameter: 24mm Thickness: 2mm	 21677 Crushable Steel Inner Diameter: 16mm Outer Diameter: 21mm Thickness: 2.5mm Subaru: 803916010	 18829 Green Fibre Inner Diameter: 18mm Outer Diameter: 28mm Thickness: 2mm	 21647 Black Fibre Inner Diameter: 20mm Outer Diameter: 28mm Thickness: 2mm

401 TOTAL PIECES

ASSORTMENTS



OIL DRAIN PLUG GASKETS

MA102

18019 Fibre Inner Diameter: 1/2" Outer Diameter: 15/16" Thickness: 5/64"	16026 Steel & Rubber Inner Diameter: 1/2" Outer Diameter: 1" Thickness: 3/64 GM: 14090908, 24571185	21179 Rubber Inner Diameter: 11mm Outer Diameter: 19mm GM 1985-On; GM: 12616850	17261 Crushable Copper Inner Diameter: 12mm Outer Diameter: 18mm Thickness: 2mm	21258 Crushable Copper Inner Diameter: 11mm Outside Diameter: 16mm Thickness: 3mm Ford F4XY6734-AA; Nissan 11026-01M02, 11026-JA00A; Suzuki 11517-50200	18849 Steel Inner Diameter: 12mm Outer Diameter: 21mm Thickness: 2mm
19591 Copper Inner Diameter: 12mm Outer Diameter: 22mm Thickness: 2mm	19601 Aluminum Inner Diameter: 12mm Outer Diameter: 22mm Thickness: 1.5mm	18726 Black Fibre Inner Diameter: 12mm Outer Diameter: 22mm Thickness: 2mm	20896 Rubber Inner Diameter: 13mm Outer Diameter: 19mm Ford: F75Z-6734-AA Replacement gasket for 19773	20453 Rubber Inner Diameter: 13mm Outer Diameter: 22mm Ford: F75Z-6734-AA Replacement gasket for 19279 or 21354	19007 Crushable Steel Inner Diameter: 14mm Outside Diameter: 19mm Thickness: 2mm Mitsubishi: MD050317 Hyundai: 21513-21000, 21513-23000
19621 Aluminum Inner Diameter: 14mm Outer Diameter: 20mm Thickness: 1mm Hyundai: 21513-23001; Mazda: 9956-41-400; Mercedes: 007-603-014-104; VW & Audi: N013849-3	20454 Cooper Inner Diameter: 14mm Outer Diameter: 20mm Thickness: 1mm SSAB: 75-22-709; VW & Audi: N-013-849-2	17262 Crushable Copper Inner Diameter: 14mm Outer Diameter: 20mm Thickness: 2mm	19592 Copper Inner Diameter: 14mm Outer Diameter: 22mm Thickness: 1.5mm	16956 Aluminum Inner Diameter: 14mm Outer Diameter: 22mm Thickness: 2mm	16682 Black Fibre Inner Diameter: 14mm Outer Diameter: 24mm Thickness: 2mm
18299 Steel & rubber Inner Diameter: 14mm Outer Diameter: 25mm Thickness: 1mm Ford F3DZ-6734-A	21877 Crushable Steel Inner Diameter: 16mm Outer Diameter: 21mm Thickness: 2.5mm Subaru: 803916010	20462 Aluminum Inner Diameter: 18mm Outer Diameter: 24mm Thickness: 1.2mm	19139 Crushable Steel Inner Diameter: 20mm Outside Diameter: 26mm Thickness: 2mm Subaru: 11126AA000; Hyundai: 21513-21000	18665 Rubber Inner Diameter: 11mm Outer Diameter: 21mm Thickness: 3mm GM: 3536966	

490 TOTAL PIECES